Kurzanleitung

Elektro-Golfcart für 2 Personen
Lithium-Ionen-Akku 72 V / 100 Ah

Vor der ersten Nutzung lesen und beim Fahrzeug aufbewahren. Bei Weitergabe des Fahrzeugs diese Anleitung mitgeben.



Keine Straßenzulassung
Ausschließlich auf nichtöffentlichem Privatgelände einsetzen. Nicht im öffentlichen Straßenverkehr verwenden.

1 Verwendung

Für höchstens zwei sitzende Personen. Die maximale Zuladung von 380 kg umfasst Personen und mitgeführte Gegenstände.

Vor der ersten Fahrt die Bedienelemente, Fahrtrichtungswahl, Bremse und Sicherung gegen Wegrollen am Fahrzeug erklären lassen. Nur eingewiesene Personen dürfen fahren.

2 Vor jeder Fahrt

Reifen, Räder, Lenkung, Bremsen und sichtbare Leitungen auf Schäden oder Undichtigkeiten prüfen. Ladezustand kontrollieren; Ladekabel vor der Fahrt vollständig entfernen.

Sitzplätze, Fußraum und Pedale freihalten. Vorhandene Sicherheitsgurte benutzen und lose Gegenstände sichern. Bremswirkung bei geringer Geschwindigkeit prüfen.

Bei Schäden, ungewöhnlichen Geräuschen oder mangelnder Bremswirkung nicht weiterfahren. Fahrzeug ausschalten und fachkundig prüfen lassen.

3 Fahren und Abstellen

Langsam anfahren. Geschwindigkeit an Untergrund, Sicht und Personen im Umfeld anpassen. In Kurven und auf unebenem oder nassem Untergrund besonders langsam fahren; abrupte Lenkbewegungen vermeiden.

Fahrtrichtung nur im Stillstand wechseln. Nur bei stehendem Fahrzeug ein- oder aussteigen. Hände und Füße während der Fahrt im Fahrzeug halten.

Zum Abstellen vollständig anhalten, gegen Wegrollen sichern, ausschalten und den Schlüssel abziehen. Unbefugte Nutzung verhindern.

Laden und Pflege

4 Lithium-Akku laden

Nur ein für diesen 72-V-Lithium-Ionen-Akku ausdrücklich freigegebenes Ladegerät verwenden. Fahrzeug ausschalten und die Anschluss- sowie Ladehinweise des Ladegeräts beachten.

Trocken und gut belüftet laden; Ladegerät nicht abdecken und von brennbaren Gegenständen fernhalten. Beschädigte Kabel, Stecker oder Akkus nicht verwenden.

Bei ungewöhnlicher Erwärmung, Geruch oder Geräuschen den Ladevorgang beenden, sofern gefahrlos möglich. Bei Rauch oder Feuer Abstand halten und den Notruf wählen. Akku nicht öffnen oder selbst reparieren.

5 Pflege und Störungen

Mit einem leicht feuchten Tuch reinigen. Keinen Wasserstrahl auf elektrische Bauteile, Akku oder Ladeanschluss richten. Trocken und gegen Wegrollen gesichert abstellen.

Arbeiten an Akku, Elektrik, Bremsen und Lenkung einer Fachwerkstatt überlassen. Bei Fehlfunktionen nicht weiterfahren; Amoto kontaktieren. Reifendruck, Wartungsintervalle und Lagerung des Akkus vor der Nutzung mit Amoto klären.

6 Technische Daten

Antrieb	3.500 W / 3,5 kW; Motorspannung 72 V
Akku	Lithium-Ionen, 72 V / 100 Ah
Höchstgeschwindigkeit	Bis zu 40 km/h laut Hersteller
Reichweite / Ladezeit	80-100 km / 6-8 Stunden*
Sitzplätze / maximale Zuladung	2 Personen / 380 kg
Leergewicht	525 kg laut Datenblatt
Maße L × B × H	2.460 × 1.380 × 1.968 mm
Bereifung vorne und hinten	23×10-14
Bremsen	Vorne hydraulische Scheibenbremsen; hinten hydraulische Trommelbremsen

* Herstellerangaben. Reichweite und Ladezeit können je nach Einsatzbedingungen und Ladezustand abweichen.

EU-Importeur / verantwortlicher Wirtschaftsakteur
Amoto Wheels B.V. | Koornmarktpoort 33 | 8253 TE Dronten | Niederlande
E-Mail: info@amotowheels.com

Quick user guide

Two-seat electric golf cart
72 V / 100 Ah lithium-ion battery



Read before first use and keep this guide with the vehicle. Pass it on to the next owner if the vehicle changes hands.

> **Not approved for public road use**
> Use only on private grounds not open to public traffic. Do not use on public roads.

1 Intended use

For a maximum of two seated occupants. The maximum payload of 380 kg includes occupants and all items carried.

Before the first trip, have the controls, direction selector, brake and method of securing the vehicle against rolling explained on the actual vehicle. Only instructed persons may drive.

2 Before each trip

Check tyres, wheels, steering, brakes and visible lines for damage or leaks. Check the battery charge; completely disconnect the charging cable before driving.

Keep seats, footwell and pedals clear. Use any fitted seat belts and secure loose items. Check braking performance at low speed.

Do not continue driving if there is damage, unusual noise or inadequate braking. Switch off and have the vehicle checked by a qualified person.

3 Driving and parking

Move off slowly. Adapt speed to the surface, visibility and people nearby. Drive particularly slowly when turning and on uneven or wet ground; avoid sudden steering movements.

Change direction only when stationary. Get in or out only when the vehicle has stopped. Keep hands and feet inside the vehicle while moving.

To park, stop completely, secure the vehicle against rolling, switch off and remove the key. Prevent unauthorised use.

Charging and care

4 Charging the lithium battery

Use only a charger expressly approved for this 72 V lithium-ion battery. Switch off the vehicle and follow the charger instructions for connecting and charging.

Charge in a dry, well-ventilated place. Do not cover the charger; keep it away from combustible materials. Do not use damaged cables, plugs or batteries.

If unusual heat, smell or noise occurs, stop charging if safe to do so. In case of smoke or fire, keep away and call the emergency services. Do not open or attempt to repair the battery.

5 Care and faults

Clean with a slightly damp cloth. Do not direct a water jet at electrical components, the battery or charging connection. Store in a dry place, secured against rolling.

Have battery, electrical, brake and steering work carried out by a qualified workshop. Stop driving if a fault occurs and contact Amoto. Confirm tyre pressure, service intervals and battery storage instructions with Amoto before use.

6 Technical data

Drive	3,500 W / 3.5 kW; motor voltage 72 V
Battery	Lithium-ion, 72 V / 100 Ah
Maximum speed	Up to 40 km/h, manufacturer specification
Range / charging time	80-100 km / 6-8 hours*
Seats / maximum payload	2 occupants / 380 kg
Unladen weight	525 kg, according to data sheet
Dimensions L × W × H	2,460 × 1,380 × 1,968 mm
Front and rear tyres	23×10-14
Brakes	Front hydraulic disc brakes; rear hydraulic drum brakes

* Manufacturer specifications. Range and charging time may vary with operating conditions and state of charge.

EU importer / responsible economic operator
Amoto Wheels B.V. | Koornmarktpoort 33 | 8253 TE Dronten | The Netherlands
E-Mail: info@amotowheels.com